



**OFFICE OF THE SUPERINTENDING ENGINEER**  
**WORKS ESTABLISHMENT SECTION**  
**NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL**  
**POST SRINIVASNAGAR, MANGALURU – 575025 (DK)**



Phone: [0824] - 2473029, 2473028  
Email: [re@nitk.edu.in](mailto:re@nitk.edu.in)

Fax: [0824] 2474033  
Website: <http://www.nitk.ac.in>

**No.55/ Inviting Quotation /31/2022-23/DM**

**Date: 09.02.2023**

**NOTICE INVITING QUOTATIONS**

The National Institute of Technology Karnataka, Surathkal (in short - NITK, Surathkal or Institute) is an autonomous Institute of the Govt. of India [under the Ministry of Education] imparting technical and science education. The Institute intends to “**Providing, supply and installing of file rack with door cabinet to office of Dean (R & C)**”, in NITK. In this connection, sealed quotations are invited by the undersigned subject to the terms and conditions enumerated here under from the agencies so as to reach this office on or before **14-02-2023 by 10:00 AM**. The quotations shall be opened on the same day if possible.


Sl. No.	Specification	Approx. Qty	Rate	GST	Amount
1	<b>File Rack with Door Cabinet</b> Manufacturing, supplying and fixing of File rack with door cabinet made by using Phenol Bonded BWP Grade 16mm thick Plywood (confirming to IS: 710) for internal & external panels and 6mm thick plywood for back panels, All the external surfaces of the plywood should be laminated with 1 mm thick and internal surfaces should be laminated with 0.8mm thick lamination. (Thermosetting lamination of approved make and quality). All the cut edges of the Panel shall be covered and sealed with 1mm thick PVC edge banding of approved make, quality and colour. The Plywood sheet should be treated with anti termite in two layers before lamination. All joinery fabrication work shall be done with minifix fitting, wooden dowels, modular clips, screws, lock, hinges, etc. The fixtures and fittings like hinges with screws for cabinet door shutter, Handle with locking arrangements etc. should be of approved quality and make.				
a)	Size A: 1219 mm (L) x 450 mm (W) x 1800 mm (H)	1 No			
	1500 mm (L) x 450 mm (W) x 1066 mm (H)	1 No			
	1219 mm (L) x 450 mm (W) x 1066 mm (H)	1 No			
b)	1800 mm (L) x 450 mm (W) x 760 mm (H)	1 No			
c)	2590 mm (L) x 450 mm (W) x 1066 mm (H)	1 No			

**Terms and conditions:**

1. The sealed quotations duly super scribed on the envelop as quotation for “**Providing, supply and installing of file rack with door cabinet to office of Dean (R & C)**” and addressed to as “The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru – 575025” be sent so as to reach this office on or before the due date mentioned.
2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. The quotation without this information will not be accepted. The rate quoted shall be valid for 90 days for its acceptance.
3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post/ courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained.



4. No advance payment will be made. The payment shall be made on after successful completion of work. No interest will be paid for delayed payments if any.
5. The rate quoted should be firm. no claim for enhancement of rate is admissible after opening of the Quotations.
6. The bidders should quote rates in the above format with necessary documents.
7. The undersigned reserve the right of rejecting all the quotations without assigning any reasons thereof.



Superintending Engineer.  
NITK Surathkal  
Superintending Engineer  
Work Establishment Section  
National Institute of Technology Karnataka  
Surathkal, P.O. Srinivasnagar- 575025


**NOTICE INVITING QUOTATIONS**

Sl. No.	Specification	Approx. Qty	Rate	GST	Amount
1	File Rack with Door Cabinet Manufacturing, supplying and fixing of File rack with door cabinet made by using Phenol Bonded SWP Grade 16mm thick Plywood (containing 12; 710) for internal & external panels and 6mm thick plywood for back panels. All the external surfaces of the plywood should be laminated with 1 mm thick and internal surfaces should be laminated with 0.5mm thick laminator. (The missing laminator of approved make and quality). All the cut edges of the Panel shall be covered and sealed with 1mm thick PVC edge banding of approved make, quality and colour. The Plywood sheet should be treated with anti-termite in two layers before lamination. All joints/ fabrication work shall be done with minifix using wooden dowels, modular clips, screws, lock hinges, etc. The fixtures and fittings like hinges with screws for cabinet door handle, Handle with locking arrangements etc. should be of approved quality and make.	1 No			
a)	Size A: 1210 mm (L) x 450 mm (W) x 1000 mm (H)	1 No			
	1800 mm (L) x 450 mm (W) x 1000 mm (H)	1 No			
	1210 mm (L) x 450 mm (W) x 1000 mm (H)	1 No			
b)	1800 mm (L) x 450 mm (W) x 750 mm (H)	1 No			
c)	2850 mm (L) x 450 mm (W) x 1000 mm (H)	1 No			

**Terms and conditions:**

1. The sealed quotations duly super sealed on the envelop as quotation for "providing, supply and installing of the rack with door cabinet to office of Dean (R & C)" and addressed to as "The Superintending Engineer, NITK, Surathkal, Post Srinivasnagar, Mangaluru - 575025" be sent so as to reach this office on or before the due date mentioned.
2. The GST registration number and the PAN number of the bidder shall be mentioned in the quotation. The quotation without this information will not be accepted. The rate quoted shall be valid for 90 days for its acceptance.
3. Quotation may be dropped in the Tender Box kept in the office or may be sent by post courier. It is the responsibility of the bidder to make sure that the quotation is delivered in time. The quotations received after the due date will not be entertained.






## FILE RACK-B


Size: 1800mm X 760mm X 450mm





**RACK-A**  
 Size: (1200mm X 1800mm X 450mm)  
 (1066mm X 1800mm X 450mm)  
 (1219mm X 1800mm X 450mm)





16MM THICK PLY WITH  
1MM THICK LAMINATION

**FILE RACK-C**

Size: 2590mm X 1066mm X 450mm