

**NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL**

CENTRAL RESEARCH FACILITY  
POST SRINIVASNAGAR, MANGALURU – 575 025 (D K)

Phone: (0824) 2474000.

E- mail: [office.crf@nitk.edu.in](mailto:office.crf@nitk.edu.in)

Fax: (0824) 2474033

Website: <http://www.nitk.ac.in>

**TENDER DOCUMENT**

Tender Notification: NITK/CRF/3D PIV/04

Date: 12/05/2020

|  |   |
|--|---|
| <b>Name of Goods</b>   | : 3D PIV with LDV/PDPA System   |
| Estimated amount put to Tender                                     | : Rs. 38000000/-  |
| EMD Amount (2% of estimated amount)                                | : Rs. 760000/-  |
| Time for Supply of item  | : 4 Months  |
| Date, Time & Venue of Pre-Bid Conference                           | : 03-06-2020 @ 12.00 p.m.<br>Board Room, Main Building, NITK Surathkal<br>(Refer Section 1 B, Clause No. 34)  |
| Last date for Request tender document                              | : 01/07/2020, before 3.00 p. m.   |
| End date for submission of e-tender                                | : 01/07/2020, before 4.00 p. m.   |
| Address for Submission of Tender                                   | : <a href="https://mhrd.euniwizarde.com">https://mhrd.euniwizarde.com</a>   |
| Date of opening technical bid                                      | : 03/07/2020, at 3.00 p.m.  |
| Contact Details of Buyer   | : Dr. Gnanasekaran, Contact No.: + 91 9940871337,<br>Email: <a href="mailto:ngs.iitm@gmail.com">ngs.iitm@gmail.com</a> , <a href="mailto:gnanasekaran@nitk.edu.in">gnanasekaran@nitk.edu.in</a> |
| Purchase officer Name and Contact<br>(Related to purchase inquiry) | : Gaurav Chowdhury, Assistant Registrar (Purchase)<br>Phone: +91-824-2473099 Email: <a href="mailto:gaurav@nitk.ac.in">gaurav@nitk.ac.in</a>  |



## **NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL**

### **Central Research Facility**

POST SRINIVASNAGAR, MANGALURU – 575 025

Phone: (0824) 2474000

Fax: (0824) 2474033

Email: info@nitk.ac.in

Website: <http://www.nitk.ac.in>

Tender Notification No :NITK/CRF/3D PIV/04

Date:12/05/2020

### **NOTICE INVITING e-TENDER (e-NIT)**

The National Institute of Technology Karnataka, Surathkal (in short – NITK, Surathkal) is an autonomous institute under Ministry of HRD Govt of India imparting Technical Education and engaged in Research Activities. It is proposed to procure equipment for Central Research Facility.

Online Tenders(<https://mhrd.euniwizarde.com/>) are invited for the following items in **two cover system** (i.e., Technical bid and financial bid) subject to the following terms and conditions, from the reputed manufacturers or it's authorized dealers so as to reach this office on or before scheduled date and time. The tender (Technical bid) will be opened online on the due date as mentioned. Bidders can verify their bid status through online portal <https://mhrd.euniwizarde.com/>. The financial bid of only such bidders whose technical bid is accepted shall be opened on the same day or later pre-informed date.

1. **Name of Goods** : **3D PIV with LDV/PDPA System**
2. **Estimated Cost** : Rs. 38000000/-
3. **E M D (2% of estimated amount)** : Rs. 760000/-
4. **Time for completion of Supply after Placing Purchase Order** : 4 Months
5. **Date, Time & Venue of Pre-Bid Conference** : **03-06-2020 @ 12.00 p.m.**  
Board Room, Main Building, NITK Surathkal  
(Refer Section 1 B, Clause No. 34)
6. **Last date for Request tender document** : **01/07/2020**, before 3.00 p. m.
7. **End date for submission of e-tender** : **01/07/2020**, before 4.00 p. m.
8. **Address for Submission of Tender** : <https://mhrd.euniwizarde.com>
9. **Date of opening technical bid** : **03/07/2020**, at 3.00 p.m.
10. **Contact Details of Buyer** : Dr. Gnanasekaran, Contact No.: + 91 9940871337,  
Email: ngs.iitm@gmail.com, gnanasekaran@nitk.edu.in

**Sd/-  
Chairman, CRF**

## **SECTION 1 A:- PROCEDURE FOR SUBMISSION OF E-TENDER**

The bidders are required to submit soft copies of their bid electronically on the e-Wizard Portal using valid Digital Signature Certificates. Below mentioned instructions are meant to guide the bidders for registration on the e-Wizard Portal, prepare their bids in accordance with the requirements and submit their bids online on the e-Wizard Portal. For more information bidders may visit the e-Wizard Portal <https://mhrd.euniwizarde.com>

### **1. REGISTRATION PROCESS ON ONLINE PORTAL**

1. Bidders to enroll on the e-Procurement module of the portal <https://mhrd.euniwizarde.com> by clicking on the link "Bidder Enrolment" as per portal norms.
2. The bidders to choose a unique username and assign a password for their accounts. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the e-Wizard Portal.
3. Bidders to register upon enrolment their valid Digital Signature Certificate (DSC: Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India with their profile.
4. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse. Foreign bidders are advised to refer "DSC details for Foreign Bidders" for Digital Signature requirements on the portal.
5. Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC / e-Token.

### **2. TENDER DOCUMENTS SEARCH**

1. Various built-in options are available in the e-Wizard Portal which is further synchronizing with CPP Portal to facilitate bidders to search active tenders by several parameters. These parameters include Tender ID, organization, location, date, value, etc.
2. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, a form of contract, location, date, other keywords, etc. to search for a tender published on the Online Portal.
3. Once the bidders have selected the tenders they are interested in, they may download the required documents/tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the Online Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.

4. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/help from the Helpdesk.

### **3. BID PREPARATION**

1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.
3. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that needs to be submitted. Any deviations from these may lead to rejection of the bid.
4. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF / XLS / PNG, etc. formats. Bid documents may be scanned with 100 dpi with black and white option.

### **4. BID SUBMISSION**

1. Bidder to log into the site well in advance for bid submission so that he/she uploads the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
2. The bidder to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3. Bidder to select the payment option as "Online" to pay the tender fee/ EMD wherever applicable and enter details of the instrument.
4. A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders to note that they should necessarily submit their financial bids in the prescribed format and no other format is acceptable.
5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, the opening of bids, etc. The bidders should follow this time during bid submission.
6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data, which cannot be viewed by unauthorized persons until the time of bid opening.
7. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
9. Kindly have all relevant documents in a single PDF file of compliance sheet.
- 10. The off-line tender shall not be accepted and no request in this regard will be entertained whatsoever.**

## **5. AMENDMENT OF BID DOCUMENT**

At any time prior to the deadline for submission of proposals, the institutions reserve the right to add/modify/delete any portion of this document by the issuance of a Corrigendum, which would be published on the website and will also be made available to the all the Bidder who has been issued the tender document. The Corrigendum shall be binding on all bidders and will form part of the bid documents.

## **6. ASSISTANCE TO BIDDERS**

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to e-Wizard Portal, in general, may be directed to the 24x7 e-Wizard Helpdesk. The contact number for the helpdesk is **011-49606060, 23710092, 23710091, Sanjeet Kumar Jha +91-8882495599, 9350530626, Gagan +91 8448288987, Vijay +91 9113518121**

## **7. INSTRUCTIONS TO THE BIDDERS**

1. **Process for Bid submission through MHRD portal is explained in Bidder Manual. Bidders are requested to download Bidder Manual from the home page of MHRD website (<https://mhrd.euniwizarde.com>). Steps are as follows (Home page ⇒ Downloads ⇒ Bidder Manuals).**
2. The tenders will be received online through portal <https://mhrd.euniwizarde.com>. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
3. Possession of Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/ e-Token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://mhrd.euniwizarde.com>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://mhrd.euniwizarde.com> under the link 'DSC help'. Tenderers are advised to follow the instructions provided in the 'Instructions to the Tenderers for the e-Submission of the bids online through the e-Wizard Portal for e-Procurement at <https://mhrd.euniwizarde.com>.

**4. Meaning of “Date for Request tender document”**

**The bidder has to “Request the tender” to MHRD portal before the “Date for Request tender document”, to participate in bid submission.**

- 8.** All entries in the tender should be entered in online Technical & Commercial Formats without any ambiguity.
- 9.** Any order resulting from this e-tender shall be governed by the terms and conditions mentioned therein.
- 10.** No deviation to the technical and commercial terms & conditions are allowed.
- 11.** The tender inviting authority has the right to cancel this e-tender or extend the due date of receipt of the bid(s).

## SECTION 1 B: INSTRUCTION TO BIDDER (ITB)

1. The bid should be submitted in two covers System-Technical Bid and Financial Bid through <https://mhrd.euniwizarde.com>
2. **Technical Bid: Documents related to the Technical Bid** should be submitted in PDF format through eTendering portal <https://mhrd.euniwizarde.com>.
3. **The Technical Bid should contain the following documents:**
  - a) Compliance statement of specifications as per **Annexure - 'A'**.
  - b) License certificate for manufacture /supply of the item & Factory license
  - c) Agreements/Purchase Orders/Completion certificates if any, for similar items to other Universities, Institutes, and Government Department/Undertakings/Public sectors the details of such supplies for the preceding three years should be given together with the prices eventually or finally paid with contact details of persons as per **Annexure – 'B'**.
  - d) List of Owner/partners of the firm and their contact numbers (Bidder Information)
  - e) Declaration of abandoned or suspended any awarded service & Blacklist Certificate. **Annexure 'C'**
  - f) Integrity Pact (for procurements above Rs1.0 Crore (Rs10.0 Million). **Annexure 'D'**
  - g) Copy of GST certificate & PAN No.
  - h) Catalog of the Product with detailed product specifications.
  - i) Undertaking that the successful BIDDER agrees to give a Performance Security amounting to 10%of the purchase order value in favor of "The Director, NITK Surathkal".
  - j) The copy of the Balance sheet, Profit & Loss A/c., Trade or Manufacturing A/c for the last 3 years should be enclosed and the turnover must be 30% of the estimated cost.
  - k) Duly filled in the checklist should be submitted along with the Technical Bid.
  - l) Contract form given in Section 5 needs to be submitted.
  - m) **EMD must be** in the form of Bank Guarantee (**ANNEXURE –G**)/Fixed Deposit Receipt/DD/e-Payment mode (through Credit/Debit cards, Net Banking). It will be valid for **180 days** from the date of opening of the tender. In case of EMD payment made through E-Payment, UTR Number with details should be uploaded. The firm registered with MSME/NSIC as per MSME procurement policy order 2012 will be exempted from submission of EMD. Intended parties will have to give proof of registration along with their tender. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of the concerned item.
    - i) The EMD will be returned to the BIDDERS(s) whose offer is not accepted by NITK within one

month from the date of the placing of the purchase order(s) on the selected BIDDER(s). In the case of the BIDDER(s) whose offer is accepted the EMD will be returned on submission of Performance Security in the form of Bank Guarantee (BG). However, if the return of EMD is delayed for any reason, no interest/penalty shall be payable to the Bidders.

- ii) The successful BIDDER, on the award of contract/order, must send the contract/order acceptance in writing, within 15 days of award of contract/order failing which the EMD will be forfeited.
- iii) The EMD shall be forfeited in case a successful BIDDER fails to furnish the Performance Security.
- iv) Bidder should prepare the EMD as per the instructions specified in the tender document. The original EMD should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission as specified in the tender documents. The details of the BG/DD/FD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise, the uploaded bid will be rejected.

**4. Financial bid :** The bidders should submit their financial bid as per the format given in Section 4 (A standard BoQ format has been provided with the tender document in the form of an Excel sheet) of the Notice Inviting Tender in the online bid through e-Tendering portal <https://mhrd.euniwizarde.com>. After evaluation of technical bid, the technically successful bidder shall be intimated to witness the opening of their financial bid along with date, time and venue through e-mail. The financial bid of only those bidders' will be opened who are declared "Technically Successful or Technically Responsive".

**5. Bid Evaluation:**

On the due date, the Technical bids will be opened and referred to the Purchase Committee which is duly constituted by the Director, NITK. The committee will go through the technical aspects of the tender and recommend shortlisted firms. The recommendation of the committee is final and binding on all the parties. The committee may visit the manufacturing site to assess the capabilities to manufacture the tendered items as per the specifications. In case of any remarks/default noted, the EMD will be forfeited even if pre-qualified.

**6. Quoting of Price(s):**

- a. Indian bidder should quote firm prices in Indian rupee only unless otherwise specified elsewhere in this tender. Prices quoted in any other currency shall not be considered.
- b. In case of Global Tender, Price quoted should be in Indian Rupees/US Dollar/Euro/Pound Sterling/Yen or in a currency under Reserve Bank of India's notified basket of currencies and must include delivery at NITK, Surathkal including loading/unloading.



- c. For the purpose of price evaluation, if the bid is submitted in Foreign Currency, then the bid price shall be converted to Indian Rupees as per the RBI Exchange Rate prevailing on the day of the opening of the price bid.
7. The Bid will be accepted only from the manufacturers (OEM) or its authorized supplier.
8. The incomplete or conditional tender will be rejected.
9. The Institute reserves the right to cancel at any time after acceptance of the tender with a notice. The Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which might have derived from the execution of the supply.
- 10. Performance Security** The successful bidder shall deposit performance security of 10% of the quoted price in the form of Bank Guarantee (**ANNEXURE -G**) / Demand Draft / Fixed Deposit Receipt of any scheduled bank drawn in favour of **The Director, NITK Surathkal, Mangaluru** payable at Mangaluru. In case the bidder fails to deposit the said Performance Security within the stipulated period, including the extended period if any, the Earnest Money Deposited by the bidder shall be forfeited automatically without any notice. Please note the following points:
- a) Successful bidder should submit performance Security as prescribed above to the purchase Section, NITK Surathkal, on or before 30 days from the date of issue of order acknowledgment.
  - b) Performance Security shall be for the due and faithful performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful bidder and the purchaser under the terms and conditions of acceptance to tender.
  - c) The successful bidder is entirely responsible for the due performance of the contract in all respects according to the terms and conditions of the tender.
  - d) The validity of the Performance Security must cover the warranty period plus two months.
  - e) In case of imported goods, the Indian agent has to furnish Performance Bank Guarantee in Indian Rupees only from Scheduled Bank.
- 11. The validity of bids:** The rate quoted should be valid for a minimum of 180 days. No claim for escalation of the rate will be considered after opening the Tender.
- 12. Warranty/Guarantee & On-site skill support:** On-site comprehensive warranty will be effective from the date of successful installation and commissioning. The OEMs/Authorized Distributors and Dealers must attach a certificate of sales and service facilities, escalation support for on-call service or station engineer, etc.
- 13. Imports:** In case, equipment is to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.

- 14. Clarification of Tender Document:** Through pre-bid Conference (Under Section 1, clause No. 34).
- 15. Amendment of Tender document:** At any time prior to the last date for receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the Tender document by an amendment. Further, Institute may at its own discretion extend the last date for the receipt of bids.
- 16.** The bids shall be written in English language and any information printed in another language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.
- 17.** The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids. The decision of the Purchase Committee is final in all matters of tender and purchase.
- 18. Cancellation of Tender:** Notwithstanding anything specified in this tender document, NITK Surathkal in its sole discretion, unconditionally and without having to assign any reasons, reserves the rights:
- a) To accept OR reject lowest tender or any other tender or all the tenders.
  - b) To accept any tender in full or in part.
  - c) To reject the tender offer not conforming to the terms of the tender.
  - d) To give purchase preference to Public Sector undertakings when applicable as per Govt. Policy/ Guidelines.
- 19. Delivery Period:** The Delivery Period/Time shall be deemed to be the essence of the Contract and delivery must be completed not later than such date(s). If the Supplier does not perform its obligations within the Delivery Period/Date mentioned in the Contract, the same would constitute the breach of the Contract and the Institute shall have the right to cancel or withdraw the Contract for the unsupplied portion after the expiry of the original or extended delivery date or period stipulated in the Contract. Such cancellation of the contract on account of non-performance by the Supplier would entitle the Buyer to forfeit the EMD / Performance Security besides other actions such as debarment from the Institute as per GFR 2017.
- 20. Liquidated Damages:** Timely delivery is the essence of contract and hence if the Supplier fails to deliver Goods within the original/extended delivery period(s) specified in the contract, the Institute will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, **@ 1% per week or part of the week of delayed period** as pre-estimated damages not exceeding 5% of the contract value without any controversy/dispute of any sort whatsoever.
- 21. Terms of Payment:**
- a. Payment within 30 days from the date of delivery and Acceptance Certificate of concerned Department/Section/Purchase Section.

- b. Payment shall be made by Cheque or such other mode/electronic fund transfer offered by the Bank. NITK, Surathkal will not pay advance payment to the party. Any request for Advance payment will be rejected summarily. In case if it is necessary, the advance payment will be paid strictly against Bank Guarantee only.
  - c. Payment will be made by Standard Payment terms and conditions of NITK, Surathkal as per tender document only. Any request for a change in payment terms and conditions will not be accepted.
  - d. If the above conditions are not acceptable then tender will be rejected.
22. Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bid as to the nature of the installation site, the means of access to the site and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the installation to be done and local conditions and other factors having a bearing on the execution of the bid.
23. If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the bidder.
24. The rate quoted by the bidder **shall be firm throughout the contract** period and there shall be no revision of the rates for any reasons whatsoever. It should be clearly understood that any claim for changes will not be entertained in any case once the bids are opened.
25. **One bid per bidder:** Each bidder shall submit only one bid either by himself or by representing a firm.
26. **Cost of bid:** The bidder shall bear all costs associated with the preparation and submission of his bid. The Institute in no case shall be responsible or liable for those costs.
27. The bidder shall not make or cause for any alteration, erasure or obliteration to the text of the tender document.
28. The Institute will declare a bidder ineligible, either indefinitely or for a specified period of time, at the sole discretion of the Institute, for the award of contract/ participating in any other tender, if at any time the Institute determines that he has furnished false information/ engaged in corrupt or fraudulent practices.
29. If any overpayment is detected as a result of the post-payment audit, it shall be recovered by the Institute from the Supplier out of his Performance Security.
30. **Determination of successful bidder:** The technically qualified bidder whose offer is evaluated as the **lowest total bid** shall be the successful bidder subject to its meeting the statutory requirements.
31. **Price variation:** The rate quoted by the bidder shall be firm throughout the contract period. No price variation clause is applicable to this contract.

### **32. CANVASSING:**

- a) Canvassing in connection with tenders is strictly prohibited and the Tenders submitted by the Tenderers who resort to canvassing shall be liable to rejection.
- b) Subject to the provisions concerning clarification of Bids, no Bidder shall contact the purchase committee on any matter relating to its bid from the time of the bid opening up to the time that the contract is awarded.
- c) Any effort by the Bidder or Bidder's representative however described to influence the purchase committee in any way concerning scrutiny, consideration, evaluation of the Bid(s) or decision concerning award of contract shall entail rejection of Bid and action against the bidder as deemed fit.
- d) The purchase committee will deal with the Bidder on a Principal basis, without involvement in any manner in India or abroad of any agent or consultant or associate or another person howsoever described.

**33. Legal Matter:** All Domestic and International disputes are subject to Mangaluru Jurisdiction only.

### **34. Pre-Bid Conference:**

- a) All prospective bidders are requested to kindly submit their queries through E-mail to ngs.iitm@gmail.com, gnanasekaran@nitk.edu.in & cc to [office.crf@nitk.edu.in](mailto:office.crf@nitk.edu.in) so as to reach the buyer, on or before 4.00 p.m. on 25/05/2020
- b) A Pre-bid Conference shall be held as indicated in Invitation to Bid. All prospective bidders are requested to kindly attend the Pre-bid Conference. In order to facilitate NITK for the proper conduct of the Pre-bid Conference, all prospective bidders are requested to kindly submit their queries through E-mail to the indicated mail address (with Tender No. and Date) so as to reach the Buyer as indicated in Invitation to Bid.
- c) NITK shall answer the queries during the pre-bid conference, which would become a part of the proceedings of the Pre-bid Conference. These proceedings will, in turn, become a part of clarifications/amendments to the bidding documents and would become binding on all the prospective bidders. These proceedings would also be hosted on NITK website [www.nitk.ac.in](http://www.nitk.ac.in) for the benefit of all prospective bidders. Before formulating and submitting their bids, all prospective bidders are advised to surf through the NITK website after the Pre-bid Conference, in order to enable them to take cognizance of the changes made in the bidding document.
- d) Any Statement made at the pre-bid conference shall not modify the terms of the bidding documents unless such statement is made part of clarification in the proceeding of Pre-Bid Conference
- e) Only queries formally submitted in advance, will be answered in the pre-bid conference and will become part of the Corrigendum/Amendment.

**35. Relaxation for Startup, MSEs, Make in India will be as per GOI norms.**

## **SECTION 2: CONDITIONS OF CONTRACT.**

1. The rate quoted should be FOR NITK, Surathkal for Indian supplier.
2. "In the case of import, CIP rates should be quoted. All components of expenditure to arrive by air at Bengaluru need to be explicitly specified. If ship by sea, the nearest seaport is Mangaluru/Chennai. However, during financial comparison 6% additional charges will be levied to cover customs clearance and local transport".
3. In the case of Indian supplier, the item should be landed at NITK Surathkal and this responsibility is with the bidder.
4. The institute is eligible for customs duty & GST exemption (for research related Procurement of Goods) & In the case of import, there will be no GST.
5. The rate quoted should be on per unit basis. Taxes and other charges should be quoted separately, considering exemptions, if any.
6. Rate quoted should be inclusive of Testing, Commissioning and Installation of Equipment and Training.
7. **Payment:** No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by the supplier.

**In case of Imports, the payment will be made through LC. Performance security needs to be submitted at the time of LC commitment.**

8. Guarantee and Warranty period should be specified for the complete period conforming to Section 3 of this tender document.
9. The period required for the supply and installation of Equipment should be specified conforming to Section 3 of this tender document.

### SECTION 3: SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

[To be filled up by the Department / Center of NITK, Surathkal]

---

|   |                               |
|---|-------------------------------|
| Item(s) Name to be Procured   | : 3D PIV with LDV/PDPA System |
| Type (Equipment/Software/Furniture/Others)  | : Equipment                   |
| Brief Specifications of the Item(s)<br>(Attach Additional Sheet if necessary)                           | : Annexure-H                  |
| Quantity  | : One                         |
| Any other details/requirement   | : Annexure-H                  |
| Warranty Period (in months)   | : 36 Months (3 Years)         |
| Delivery Schedule expected<br>after the release of a Purchase order<br>(in Weeks)                       | : 16 weeks (4 months)         |
| EMD (2% of the estimated amount)  | : Rs. 760000/-                |
| Performance Security to be given<br>by Successful Bidder after release of<br>Purchase Order (in Rupees) | : 10% of Purchase Order       |



# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

## SECTION 4 - PRICE BID (for indigenous Supplies) (Draft format only)

[ To be used by the bidder for submission of the bid, should be submitted online only]

Reference Number: \_\_\_\_\_

Date: \_\_\_\_\_

| Sl. No. | Description of the Item and Specification | Qty. in Units | Unit Price (Rs.) | Discount % | Excise/Customs Duty % | GST (%) | Other charges if any (please specify details) | Total Price (Rs.) |
|---------|---|---------------|------------------|------------|-----------------------|---------|---|-------------------|
|         |   |               |                  |            |                       |         |   |                   |
|         |   |               |                  |            |                       |         |   |                   |

1. Delivery Mode: Delivery at NITK Surathkal, at the site only.

Total Bid Price in the above column should be inclusive of all taxes and levies transport, loading, unloading, etc.

Delivery Period: ..... days.

Validity Date: Minimum 180 days from the date of submission of quotation/ tender.

2. Payment Term: Payment within 30 days from the date submission of bill Acceptance Certificate to concerned Dept./ Sect.

3. a) AMC Charges after warranty period :

b) Comprehensive AMC charges after warranty period :

Price Bids will be compared considering 3 a) or b). NITK reserves the right to consider 3 a) or 3 b) for price comparison.

PAN No.: .....

GST Registration No.: .....

Name & Business Address: .....

Place:

Date:

**Note: Price Bid should be submitted in given format only (Refer BOQ – Attached excel sheet).**



# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

## SECTION 4 - PRICE BID (for Imported Supplies) (Draft format only)

[ To be used by the bidder for submission of the bid, should be submitted online only]

Reference Number:

Date:

| Sl. No.            | Description of Items & Specifications                     | HSN/SAC Code | Quantity in Units | IGST % | Price basis (CIF) | Total Bid Price |
|--------------------|---|--------------|-------------------|--------|-------------------|-----------------|
|                    |   |              |                   |        |                   |                 |
|                    |   |              |                   |        |                   |                 |
|                    | <b>Installation and Commissioning Charges</b><br>(if any) |              |                   |        |                   |                 |
|                    | <b>Agency Commission</b> (if any quote in %)              |              |                   |        |                   |                 |
|                    | <b>Other Charges</b> (please specify details)             |              |                   |        |                   |                 |
| <b>Grand Total</b> |   |              |                   |        |                   |                 |

# HSN Code: Harmonised System of Nomenclature Code no. and # SAC Code: Service Accounting Code no.

1. Delivery Period: ..... days.
2. Validity Date: Minimum 180 days from the date of submission of quotation/ tender.
3. a) AMC Charges after warranty period :  
b) Comprehensive AMC charges after warranty period:  
Price Bids will be compared considering 3 a) or b). NITK reserves the right to consider 3 a) or 3 b) for price comparison.

1. The validity of the bid: 180 days from the date of submission of the quotation or tender.
2. Mode of Shipment: \_\_\_\_\_
3. Port of Shipment: \_\_\_\_\_

Place:

Date:

**Note: Price Bid should be submitted in given format only (Refer BOQ – Attached excel sheet).**



**SECTION 5: CONTRACT FORM**

[To be provided by the bidder in the business letter head]

---

1. (Name of the Supplier's Firm) hereby abide to deliver by the delivery schedule mentioned in section 3 tender document for supply of the items if the purchase order is awarded.
2. The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.
3. Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

Signature of the Bidder : \_\_\_\_\_

Name and Designation: \_\_\_\_\_

Business Address : \_\_\_\_\_  
\_\_\_\_\_

Place:

Date:

Seal of the Bidder's Firm

**Compliance Statement of Specifications**

| <b>Sl.No.</b> | <b>Name of specification/Part/Accessories of tender enquiry</b> | <b>Specifications of the quoted Model / Item</b> | <b>Compliance Whether YES or NO</b> | <b>Deviations if any to be indicated in unambiguous terms</b> |
|---------------|---|--|-------------------------------------|---|
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |
|               |   |  |                                     |   |

(Add more rows if required)

**Signature and Seal of the Bidder**

**Previous Supply Orders Executed**

**Name of the firm:** \_\_\_\_\_

| <b>Order placed by [Full address of the purchaser]</b> | <b>Order No. and Date</b> | <b>Order Value</b> | <b>Specified Delivery Date</b> | <b>Actual Delivery Date</b> | <b>Remarks indicating reasons for late delivery, if any and justification for the price difference of their supply order and those quoted to us</b> | <b>Has the equipment been installed satisfactorily?</b> | <b>Contact person along with telephone, mobile number, fax, and E-mail address</b> |
|--|---------------------------|--------------------|--------------------------------|-----------------------------|---|---|--|
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |
|  |                           |                    |                                |                             |   |   |  |

**(Add more rows if required)**

**Signature and Seal of the Bidder**

**FORMAT OF DECLARATION**  
**(To be submitted on Letterhead)**

I/We Mr./Ms. \_\_\_\_\_, S/o/ of Mr. \_\_\_\_\_ aged about \_\_\_\_\_ years, resident of \_\_\_\_\_  
, working as -----(designation) for ----- (name and address of the bidding agency).

I solemnly affirm and the state as under:

1. That I am working as ----- /proprietor of the ----- (name of the firm) and authorized to sign this declaration.
2. That the firm M/s---- (complete address of the firm) has not abandoned or suspended any contract work of any organization/ department so far/ during the previous five financial years.
3. That the firm M/s---- (complete address of the firm) has not been blacklisted/ debarred for competing in tenders by any organization/ department so far/ during the previous five financial years.
4. I solemnly confirm that the facts stated above are true and nothing has been concealed.

**Seal and Signature of Bidder**

**INTEGRITY PACT AGREEMENT**

***(To be signed by the bidder/same signatory authorized to sign the relevant contact)***

This Integrity Agreement is made at Surathkal on this ..... day of .....20 .....

**BETWEEN**

National Institute of Technology Karnataka, Surathkal, an Institute of National Importance (under NIT Act -2007) represented through The Registrar, NITK, Surathkal (hereinafter referred as the '**Buyer**', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

**AND**

.....  
(Name and Address of the Individual/Firm/Company)

Through ..... (Hereinafter referred to as the "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its succession and permitted assigns)

**Preamble**

WHEREAS **NITK Surathkal** has floated the Tender (Tender No.: NITK/CRF/3D PIV/04 Date:12/05/2020) (Hereinafter referred to as "Tender/Bid") and intends to award, underlaid down organizational procedure, contract for "**3D PIV with LDV/PDPA System**"

[Hereinafter referred to as the "**Contract**").

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "**Integrity Pact**" or "**Pact**"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this witness as under:

Seal and Signature of the bidder

Registrar, for NITK Surathkal

## **Article 1: Commitment of NITK Surathkal**

- i. **NITK Surathkal** commits to take all measures necessary to prevent corruption and to observe the following principles:
  - (a) No employee of NITK Surathkal, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  - (b) NITK Surathkal will, during the Tender process, treat all Bidder(s) with equity and reason. NITK Surathkal will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
  - (c) NITK Surathkal shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- ii. If NITK Surathkal obtains information on the conduct of any of its employee which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, NITK Surathkal will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

## **Article 2: Commitment of the Bidder(s)/ Contractor(s)**

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adheres to the highest ethical standers, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and through the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commit himself to take measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contact execution:
  - a. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contractor to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contractor.

Seal and Signature of the bidder

Registrar, for NITK Surathkal

- b. The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into an undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
  - c. The Bidder(s)/Contractor(s) will not commit any offense under the relevant IPC/PC Act. Further, the Bidder(s)/Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as
  - d. part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
  - e. The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and address of agents/representatives in India if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and address of foreign agents/representatives if any. Either the Indian agent on behalf of the foreign principals or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
  - f. The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- iii. The Bidder(s)/Contractor(s) will not instigate third persons to commit offenses outlined above or be an accessory to such offenses.
- iv. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**
- v. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, there or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

Seal and Signature of the bidder

Registrar, for NITK Surathkal

### **Article 3: Consequences of Breach**

Without prejudice to any rights that may be available to NITK Surathkal under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidders/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before awarded or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 day notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determinate the Contract - if already executed, or exclude the Bidders/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by NITK Surathkal.**
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If NITK Surathkal has disqualified the Bidder(s) from the tender process prior to the award of the Contract or terminate/determinate the Contractor has accrued the right to terminate/determinate the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to NITK Surathkal, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Security of the Bidders/Contractor.
- 3) **Criminal Liability:** If NITK Surathkal obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, NITK Surathkal will inform the same to law enforcing agencies for further investigation.

### **Article 4: Previous Transgression**

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country conforming to the anti-corruption approach or with Central Government or State Government or any other Central/State Public Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes an incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
- 3) If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Seal and Signature of the bidder

Registrar, for NITK Surathkal



### **Article: 5 Equal Treatment of all Bidder/Contractors/Subcontractors**

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidders/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

### **Article 6: Duration of the Pact**

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 12 months after the completion of work under the contractor or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this pacts as specified above, under it is discharged/determined by the Competent Authority of NITK, Surathkal.

### **Article 7: Other Provisions**

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is **Mangaluru**, the Headquarters of NITK Surathkal, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In the case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed on term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action was taken by the Owner/Principal in accordance with this **Integrity Agreement/Pact or interpretation thereof shall not be subject to arbitration.**

Seal and Signature of the bidder

Registrar, for NITK Surathkal

**Article 8: LEGAL AND PRIOR RIGHTS**

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contract documents with regard to any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....  
(For and on behalf of NITK Surathkal)

.....  
(For and on behalf of bidder/ contractor)

WITNESSES:

1. ....  
(Signature, name, and address)

2. ....  
(Signature, name, and address)

Place: Surathkal.

Dated:

**Format for Bank Account details of the bidder**

|                                     |  |
|-------------------------------------|--|
| Name of the account holder (bidder) |  |
| Complete address                    |  |
| Contact number                      |  |
| Email address                       |  |

Bank Account details:

|                                     |  |
|-------------------------------------|--|
| Bank name                           |  |
| Branch name                         |  |
| MICR number                         |  |
| Account type                        |  |
| Account Number                      |  |
| Please re-type Account number again |  |
| IFSC code of the Bank               |  |

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the Institute responsible for this.

I have read the option invitation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Seal and signature of the bidder.

**Certification from the banker:**

Certified that the particulars furnished above are correct as per our records.

Seal and signature of the authorized officer of the bank.

**FORMAT FOR PERFORMANCE GUARANTEE BOND**

**(To be typed on Non-judicial stamp paper of the value of Indian Rupees of One Hundred)** (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT MANGALURU OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT MANGALURU OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT MANGALURU. BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT ACCEPTED.)

To,  
Registrar,  
National Institute of Technology Karnataka,  
Srinivasnagar P.O., Surathkal  
Mangaluru – 575025

**LETTER OF GUARANTEE**

WHEREAS National Institute of Technology Karnataka (Buyer) has invited Tenders vide Tender No..... Dt. .... for purchase of ..... AND WHEREAS the said tender document requires that any eligible successful tenderer (seller) wishing to supply the equipment/machinery, etc.in response thereto shall establish an irrevocable Performance Guarantee Bond in favour of “**The Registrar, National Institute of Technology Karnataka, Surathkal**” in the form of Bank Guarantee for Rs ..... (**10% (ten percent) of the purchase value**) and valid till **one year or up to warranty period whichever is later** from the date of issue of Performance Guarantee Bond may be submitted within 30 (Thirty) days from the date of Order Acknowledgement as a successful bidder.

NOW THIS BANK HEREBY GUARANTEES that in the event of the said tenderer (seller) failing to abide by any of the conditions referred in tender document/purchase order/performance of the equipment/machinery, etc. this Bank shall pay to National Institute of Technology Karnataka, Surathkal on demand and without protest or demur Rs ..... (Rupees.....). This Bank further agrees that the decision of National Institute of Technology Karnataka, Surathkal (Buyer) as to whether the said Tenderer (Seller) has committed a breach of any of the conditions referred in the tender document/purchase order shall be final and binding.

We, ..... (name of the Bank & branch) hereby further agree that the Guarantee herein contained shall not be affected by any change in the constitution of the Tenderer (Seller) and/ or National Institute of Technology Karnataka, Surathkal (Buyer).

**Notwithstanding anything contained herein:**

1. Our liability under this Bank Guarantee shall not exceed Rs. .... (Indian Rupees ..... only).
2. This Bank Guarantee shall be valid up to .....(date) and
3. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if National Institute of Technology Karnataka (NITK) Surathkal serve upon us a written claim or demand on or before.....(date). This Bank further agrees that the claims if any, against this Bank Guarantee, shall be enforceable at our branch office at ..... situated at ..... (Address of local branch).

Yours truly,  
Signature and seal of the guarantor:  
Name of Bank &Address:  
Date:

**Instruction to Bank:** Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. The bank is requested to take appropriate necessary action on or after the expiry of the bond period.

## FORMAT FOR EARNEST MONEY DEPOSIT / BID BOND

(To be typed on Non-judicial stamp paper of value Indian Rupees One Hundred)

(TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT MANGALURU OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT MANGALURU OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT MANGALURU. BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT ACCEPTED)

## LETTER OF GUARANTEE

To

Registrar,  
National Institute of Technology Karnataka,  
Srinivasnagar P.O., Surathkal  
Mangaluru – 575025

IN ACCORDANCE WITH YOUR TENDER for the supply of ....., M/s.....  
(hereinafter called the "Bidder") having its Registered Office at ....., wish to participate in the said bid for the supply ..... as an irrevocable Bank Guarantee against Earnest Money Deposit for an amount of Rs. .... (Rupees.....) valid up to **(180 days from the date of issue of Bank Guarantee)**, is required to be submitted by the bidder as a condition precedent for participating in the said bid, which amount is liable to be forfeited by the Purchaser on (1) the withdrawal or revision of the offer by the bidder within the validity period, (2) Non acceptance of the Letter of Intent/Purchase order by the Bidder when issued within the validity period, (3) failure to execute the contract as per contractual terms and condition within the contractual delivery period and (4) on the happening of any contingencies mentioned in the bid documents.

**During the validity of this Bank Guarantee:**

We, .....(Bank name) having the registered office at..... guarantee and undertake to pay immediately on first demand by NITK Surathkal, an amount of Rs..... (Rupees. ....)without any reservation, protest, demur and recourse. Any such demand made by theNITK Surathkal shall be conclusive and recourse. Any such demand made by the purchaser shall be binding on the Bank irrespective of any dispute or difference raised by the Bidder.

The Guarantee shall be irrevocable and shall remain valid up to .....(180 days from the date of issue of Bank Guarantee) If any further extension is required, the same shall be extended to such required period on receiving instruction from the Bidder, on whose behalf the is Guarantee is issued.

**Notwithstanding anything contained herein:**

- \* Our liability under this Bank Guarantee shall not exceed Rs..... (Rupees.....).
- \* This Bank Guarantee shall be valid up to ..... (date).
- \* We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee Only and only if you serve upon us a written claim on or before ..... (date).

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at .....situated at .....(Address of local branch).

**Yours truly,**

Signature and seal of the guarantor: Name of Bank:

Address:

Date:

**Instruction to Bank:** Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. The bank is requested to take appropriate necessary action on or after the expiry of the bond period

## Detailed Technical Specifications

### Time Resolved 2D/Stereo/volumetric (macro & micro)-PIV and 2D & 3D shadowgraphy system

A general flow measuring system is required for conducting experiments using Time Resolved 2D, stereo and volumetric (macro & micro)-PIV and 2D & 3D shadowgraphy measurements. This measurement technique will be used to obtain three components of the velocity flow field for both water and air medium. The primary purpose of this measurement system is to measure velocity field spatially and temporarily for macro and micro systems. Furthermore, this measurement technique will be used to analyze multiphase system (ex. bubble column, fluidized bed, trickle bed).

Measurements will be performed on various interrogation areas to obtain velocity and other scalars such as concentration and temperature. In order to obtain this, PIV and shadowgraphy system are required with appropriate optical techniques (suitable cameras, traversing arm).

| S.No | Description   | Qty |
|------|---|-----|
|      | <b>Module I</b>   |     |
| 1.   | <p><b>PIV lasers and other accessories:</b></p> <p><b>1.1 Specifications of the laser unit:</b></p> <ul style="list-style-type: none"> <li>➤ PIV laser with the most efficient compact monolithic dual cavity laser heads and it is optimized for PIV applications. The output energy <math>\geq 1\text{KHz}</math> @ 527nm is 2 x 20mJ. The repetition rate can be changed from Single shot to 10 KHz and the laser is characterized by an excellent pulse to pulse stability and a uniform beam profile. Laser Class 4, according to EN60825-10:2001-11.</li> </ul> <p><b>Specification:</b></p> <p>Pulse-Pulse instability: <math>\pm 1\%</math> rms (0.25% rms typical) or better</p> <p>Beam Diameter: 5mm</p> <p>Beam Divergence: <math>8.0 \pm 15\%</math> mrad or better</p> <p>Pulse width @ 1KHz: 150ns or better</p> <p>Beam circularity parameters M2x and M2y: 11 and 7 or better</p> <p>Ambient Temperature Range: 5-35°C or better</p> <p><b>High quality chiller unit</b></p> <p><b>1.2 Accessories:</b></p> <ul style="list-style-type: none"> <li>• <b>Laser guiding arm and accessories:</b> <ul style="list-style-type: none"> <li>➤ Mounting kit to fix a laser guiding arm more rigidly to larger dimensions</li> <li>➤ Laser light arm length - 1.8 to 2m including mount for light sheet optics and holders.</li> <li>➤ Light sheet optics with continuously adjustable focal length</li> <li>➤ Flexible light guide with laser arm of 360° rotation of sheet</li> <li>➤ Focal length range: 300mm-4000mm or better</li> <li>➤ Combination of spherical and cylindrical lens with suitable divergence angles that generate parallel and divergent light sheet.</li> <li>➤ Beam waist adjuster should expand or compress the beam diameter.</li> </ul> </li> </ul> <p><b>1.3 Volume illumination optics:</b></p> | 1   |

|    |   |       |
|----|---|-------|
|    | <ul style="list-style-type: none"> <li>➤ Compact volume illumination light optics/accessories with the laser</li> <li>➤ The compact volume illumination optics should be able to create a divergent light bundle for volume illumination, output aperture adjustable 15mm x 15mm to 150mm x 150mm, aspect ratios from 1:2 to 1:8 can be achieved.</li> <li>➤ Demonstration of the solution may be requested as part of technical evaluation.</li> <li>➤ Suitable laser safety goggles (4 Nos)</li> </ul> <p><b>1.3.1 3D Shadowgraphy diffused backlight (appropriate colour) illumination from Laser source: to split the laser into three passes and generate three backlight illuminations for each camera include:</b></p> <ul style="list-style-type: none"> <li>➤ Optics for beam splitting 3 diffusing optics</li> <li>➤ Maintenance kit: for Photonics DM series laser, filters, corrosion inhibitor and desiccants</li> <li>➤ <b>Telescope Optics:</b> to use a laser guiding arm with a Photonics DM laser</li> </ul>  |       |
| 2. | <p><b>High Speed Camera:</b></p> <p><b>2.1 Specifications of high-speed camera</b></p> <ul style="list-style-type: none"> <li>➤ Sensor type: CMOS</li> <li>➤ Minimum resolution: 4 Mega pixels or better</li> <li>➤ Capture rate: 1100 Frames/sec or better</li> <li>➤ 12 bit depth</li> <li>➤ Minimum frame rate of 24fps</li> <li>➤ Exposure time minimum 1 microsecond</li> <li>➤ Straddle time <math>\leq 2</math> microsecond</li> <li>➤ Global electronic shutter</li> <li>➤ Shutter off mode for PIV</li> <li>➤ Camera Memory: Minimum 18GB or better</li> <li>➤ Pixel size: 10<math>\mu</math>m or better</li> <li>➤ Ability to save images in unformatted files</li> <li>➤ Sensor: appropriate size of the sensor</li> <li>➤ Throughput: 6Gpx/sec or better</li> <li>➤ ISO 6400 (monochrome)</li> <li>➤ Lens mount: Interchangeable F-mount, C-mount</li> <li>➤ Triggering: Multiple TTL based triggering options</li> <li>➤ Suitable camera filter for 527nm and 540nm cutoff filter</li> </ul> <p><b>2.2 Accessories for high speed camera</b></p> <ul style="list-style-type: none"> <li>➤ High quality camera lens with appropriate mounts that are compatible with the high speed cameras: 45mm F/2.8, 85mm F/2.8, 100mm F/2.8, 50mm F/1.8, 135mm F/2.0.</li> <li>➤ Gigabit Ethernet interface. All interface and power cables must be included.</li> <li>➤ F-mount High magnification lens for both working distance 140-190mm &amp; 400-900mm.</li> </ul> <p><b>2.3 Translation Unit:</b></p> <p>2.3.1 for 2 linear units, consisting of: Controller for 2 axes, mounting plates, Software controlled table version</p> | 3 Nos |

|    |   |   |
|----|---|---|
|    | <p>2.3.2 <b>Linear Unit (Qty 3):</b> max. travel distance 1000 mm, ball screw pitch 2.5 mm, including direct drive module</p> <p>2.3.3 <b>Mounting accessories:</b> includes 1000mm X95 profile (Qty 3), X95 carriers (Qty 3)</p> <p>2.3.4 Scheimpflug adapters (Qty 3): Max. Scheimpflug angle up to 20°, free orientation of the camera for oblique Scheimpflug angles, Scheimpflug rotation axis aligned with camera</p> <p>2.3.5 Square Rail System (Qty 1): Based on X95 profiles for Volumetric PIV systems which includes 3 gear heads</p> <p>2.3.6 Appropriate Backlight blue LED illumination (Qty 1):</p> <ul style="list-style-type: none"> <li>➤ To be used in 2D shadowgraphy experiments.</li> <li>➤ Include 450nm camera filter with bandwidth 40 nm</li> <li>➤ Active area 257 mm x 167 mm</li> <li>➤ Wavelength typically 450 nm, FWHM 25 nm</li> <li>➤ Maximum optical output 7 W</li> <li>➤ Maximum frequency 10 kHz</li> <li>➤ Voltage requirement 90 - 250 V AC, 50 - 60 Hz</li> </ul> |   |
| 3. | <b>Software for 3D PIV, Stereo PIV, Volumetric PIV and cameras</b>  |   |
|    | <p><b>3.1 Base software for PIV</b></p> <ul style="list-style-type: none"> <li>➤ Synchronization of cameras with the laser pulse and other light sources, computer control of common camera settings including frame acquisition speed, shutter speed, resolution aperture control, image/video recordings, image analysis and processing which is compatible with 64bit windows 10 and provision for integration with MATLAB.</li> </ul>   | 1 |
|    | <p><b>3.2 Software modules for 2D-PIV</b></p> <ul style="list-style-type: none"> <li>➤ PIV image capture, image processing/analysis, construction of 2D Velocity fields using state of the art technique, should be capable of online acquisition, calculation of temporal and spatial distributions of velocity gradients, vorticity, fluctuating velocity components, turbulent kinetic energy, calculation of pressure field, time series analysis, proper orthogonal decomposition, integration with image processing tool box in MATLAB, compatibility with third party softwares.</li> </ul>  | 1 |
|    | <p><b>3.3 Software module for stereo-PIV</b></p> <ul style="list-style-type: none"> <li>➤ Same as that mentioned in section 3.2 but for 3D (stereo) velocity field measurements, comprehensive calibration tools and parallel processing modules.</li> </ul>  | 1 |
|    | <p><b>3.4 Software module for volumetric PIV</b></p> <ul style="list-style-type: none"> <li>➤ 3D3C Volumetric PIV Software module based on volume reconstruction and volume cross correlation</li> <li>➤ Instantaneous recording of a 3D-3C vectorfield (3 dimensions, 3 velocity components) within a volume, up to 1 million vectors per volume, includes calibration routines</li> </ul>   | 1 |
|    | <p><b>3.4 Software module for Pressure from PIV</b></p> <ul style="list-style-type: none"> <li>➤ calculates pressure fields from 2D-, Stereo-, Volumetric PIV. With standard 2D-, Stereo- or Volumetric PIV it should calculate average pressure data. With Time-resolved PIV data it should calculate both average and instantaneous pressure fields using the 4D Pressure Solver.</li> </ul>  | 1 |
|    | <b>3.5 Software for 2D shadowgraphy</b>   | 1 |



|   |  |   |
|---|--|---|
|   | <ul style="list-style-type: none"> <li>➤ Module for measurements of size/shape/velocity of individual bubbles/drop, bubble/drop recognition, automated size/velocity measurements.</li> </ul>  |   |
|   | <p><b>3.6 Software for 3D shadowgraphy</b></p> <ul style="list-style-type: none"> <li>➤ Easy-to-use segmentation routines for 2-phase flows such as bubbles or macroscopic solid particles in seeded and unseeded fluids.</li> <li>➤ Tomographic reconstruction</li> <li>➤ calculates the velocity and size (volume) of the droplets/bubbles</li> </ul>  | 1 |
| 4 | <p><b>High Performance Volumetric Imaging Workstation</b><br/>Recommended for 4-camera imaging systems and analysis of volumetric data, includes:</p> <ul style="list-style-type: none"> <li>➤ Installation of PIV software and drivers, frame grabber, timer or other boards included with the system, as well as test of the complete measurement system,</li> <li>➤ The PC comprises: Dual Intel Xeon 22 Core CPU 2.1 and 3.7GHz Turbo 256GB RAM, 2TB M.2 Class 50 SSD Raid, For advanced Streaming capabilities up to 600MB/s24TB Raid System for data, DVD -/+RW, NVidia 16GB, 2560CUDA cores, for High Performance GPU computation,</li> <li>➤ 27" LED monitor, Mouse and keyboard, Windows 10 Professional 64 bit</li> </ul>  | 1 |
|   | <p><b>High Performance Imaging PC as a PIV analysis system</b><br/>Recommended for analysis of volumetric data, includes:</p> <ul style="list-style-type: none"> <li>• Installation of PIV software and drivers,</li> <li>• Frame grabber, timer or other boards included with the system,</li> <li>• As well as test of the complete measurement system,</li> <li>• The PC comprises: Dual Intel Xeon Quadra Core CPU 4 and 4.5GHz Turbo 64 GB RAM, 512TB M.2 SSD Class 50 SSD Raid, For advanced Streaming capabilities up to 300MB/s8TB Raid System for data, DVD -/+RW, NVidia 16GB, 2560CUDA cores, for High Performance GPU computation</li> <li>• 27" LED monitor, Mouse and keyboard, Windows 10 Professional 64 bit</li> </ul> <p><b>GPU for 3D LSM and SMART reconstructions</b></p>   | 1 |
| 5 | <p><b>Synchronization Unit:</b><br/>The vendor should provide a synchronization unit which would work for PIV facility. With the single synchronization unit should also be best suitable for simultaneous measurement of PLIF and PIV which will considered in future and must match the following specifications:<br/>Completely software-controlled CONTROLLER is an embedded system for generation of complex patterns of pulses (sequences) with highly accurate timing on multiple outputs (upto 16 independent channels). The synchronizer is a standalone USB / PCIe device. The pulse width and interval between pulses are programmed automatically by the software according to the application, the connected hardware (laser, camera, etc.) and the user settings</p> <ul style="list-style-type: none"> <li>➤ Output drivers: TTL, 50 Ohm</li> </ul> | 1 |

|                  |   |   |
|------------------|---|---|
|                  | <ul style="list-style-type: none"> <li>➤ Typical Jitter between all outputs: &lt;1 ns</li> <li>➤ Time Resolution: 10ns</li> <li>➤ Trigger source: Internal generator, external TTL input, phase locked rec. start</li> <li>➤ Jitter to asynchronous: +/- 5ns</li> <li>➤ Control: Local control via LCD keypad/display or remotely controllable by Software</li> <li>➤ Version: USB/ PCIe</li> <li>➤ With the single synchronization unit should also be best suitable for simultaneous measurement of PLIF and PIV which will considered in future</li> <li>➤ Should be able to work in low and high-speed mode</li> </ul>  |   |
| <b>Module II</b> |   |   |
| 1                | <p><b><i>Time Resolved 2D/Stereo/Volumetric micro-PIV system</i></b><br/>A stereo microscope is to be used for velocity flow fields in microfluidic devices.</p> <p><b>High performance Inverted Stereo Microscope for micro PIV</b><br/>Stereo <math>\mu</math>PIV is the variation of the technique that provide measurement of all three-velocity components (2D3C). With the advances in research into medicine, molecular biology and genetics, investigation of 3D fluid flows has received increased focus. Optimized for high resolution, high magnification and high measurement accuracy.</p> <ul style="list-style-type: none"> <li>➤ Type: Inverted Stereo microscope, motorised z axis for focus adjustment, 20x zoom, connections for two cameras, eyepieces, 100% switchable between eyepieces and cameras, control of motorized focus function with external touch screen system control panel and via software</li> <li>➤ Complete solution for microfluidics, includes objectives <math>\times 10</math>, bright field and fluorescence filter cubes, camera port for F-mount, <math>\times 10</math> eyepiece, halogen lamp, flexible optical guide and integrated laser safety package.</li> <li>➤ Free working distance - 20mm standard, others up to 135mm on request</li> <li>➤ Stereo full angle: <math>\sim 62</math> degree (in air), <math>\sim 46</math> degree (in water)</li> <li>➤ The magnification can be changed continuously for flexibility or step-wise for repeatability.</li> <li>➤ The microscope features fully plan apochromatic corrected optics, 16,5:1 zoom ratio, a double-iris diaphragm to control the field depth, an optional objective slider to switch to conventional 2D imaging</li> <li>➤ A motorized hand control unit for ease of use and for display of coded functions. Zoom, iris diaphragm and the common main objective is coded in the control unit</li> <li>➤ <b>Stereo MicroPIV Calibration Kit</b></li> </ul> | 1 |
| 2                | <p><b>Accessories:</b></p> <ul style="list-style-type: none"> <li>➤ The Microfluidics PIV Starter Kit includes:</li> <li>➤ Test model: Microfluidic chip 20 mm x 40mm, channel width approx. 600 <math>\mu</math>m</li> <li>➤ Seeding: 1 <math>\mu</math>m fluorescent particles, 10 ml solution with 2% solid</li> </ul>   | 1 |

|   |   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
|---|---|-----------------------------------|-------|--|--|---|-------|--|-----|--|-------|--|--------|---------------|
|   | <ul style="list-style-type: none"> <li>➤ Labware: A lab stand and tubing and syringes of transparent PVC</li> <li>➤ Documentation: Manuals comprising detailed set-up instructions, safety advice, and a tutorial section proposing experiments.</li> </ul> <p><b>Objectives:</b></p> <ul style="list-style-type: none"> <li>• Objective lens <math>\times 5/0.12</math> WD = 14 mm</li> <li>• Objective lens <math>\times 20/0.40</math> corr. WD = 3.2-1.9mm</li> <li>• Objective lens <math>\times 40/0.55</math> corr. WD = 3.3-1.9mm</li> <li>• Objective lens <math>\times 63/0.70</math> corr. WD = 2.6-1.8 mm</li> </ul> <p><b>Stereo Microscope and Camera Mounting:</b><br/>95 mm aluminium rail profiles with sliders for mounting optical post, Stereo microscope, and cameras rigidly., suitable for head size up to 150mm width and 160mm height</p> <p><b>Coaxial Illumination Unit:</b><br/>for coaxial illumination with stereo microscope</p> <p><b>Filter Cube Optics:</b><br/>designed for 532 nm excitation, Fluorescence wavelength <math>\geq 545</math> nm</p> <p><b>Optics and Mounts:</b><br/>for coupling laser light of a laser into optical fiber with beam diameter <math>\leq 4</math> mm</p> <p><b>Optical fiber:</b> 2m length for laser</p> <p>Calibration module for Micro-PIV measurements.<br/>micro-fluidics PIV starter kit</p>  |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| 3   | <p><b>Supply of seeding/fluorescent particles and appropriate optical filters (common to both Module I and Module II)</b></p> <table border="1" data-bbox="288 1361 1198 1794"> <tr> <td data-bbox="288 1361 1198 1458">4.1 Liquid phase PIV experiments:</td> <td data-bbox="1198 1361 1414 1458">250gm</td> </tr> <tr> <td data-bbox="288 1458 1198 1547"> <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 10micron size</li> </ul> </td> <td data-bbox="1198 1458 1414 1547"></td> </tr> <tr> <td data-bbox="288 1547 1198 1630"> <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 50 micron size (250gm)</li> </ul> </td> <td data-bbox="1198 1547 1414 1630">250gm</td> </tr> <tr> <td data-bbox="288 1630 1198 1713"> <ul style="list-style-type: none"> <li>➤ Hollow glass (HSG) particles of approximately 10 micron size</li> </ul> </td> <td data-bbox="1198 1630 1414 1713">1kg</td> </tr> <tr> <td data-bbox="288 1713 1198 1794"> <ul style="list-style-type: none"> <li>➤ Polyamide particles, 100 <math>\mu</math>m</li> </ul> </td> <td data-bbox="1198 1713 1414 1794">0.5kg</td> </tr> <tr> <td data-bbox="288 1794 1198 1877"> <ul style="list-style-type: none"> <li>➤ Silver coated HSG particle of approximately 10 micron size</li> </ul> </td> <td data-bbox="1198 1794 1414 1877">150 gm</td> </tr> </table> <p><b>4.2 Gas phase PIV experiments:</b></p> <ul style="list-style-type: none"> <li>• Aerosol generator for seeding particle generator and atleast 10 litre of fog fluid</li> <li>• Helium soap filled bubble generator of approximately 300 microns.</li> </ul> | 4.1 Liquid phase PIV experiments: | 250gm | <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 10micron size</li> </ul> |  | <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 50 micron size (250gm)</li> </ul> | 250gm | <ul style="list-style-type: none"> <li>➤ Hollow glass (HSG) particles of approximately 10 micron size</li> </ul> | 1kg | <ul style="list-style-type: none"> <li>➤ Polyamide particles, 100 <math>\mu</math>m</li> </ul> | 0.5kg | <ul style="list-style-type: none"> <li>➤ Silver coated HSG particle of approximately 10 micron size</li> </ul> | 150 gm | <p>1 unit</p> |
| 4.1 Liquid phase PIV experiments:   | 250gm   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 10micron size</li> </ul>          |   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| <ul style="list-style-type: none"> <li>➤ Polyamide seeding particles of approximately 50 micron size (250gm)</li> </ul> | 250gm   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| <ul style="list-style-type: none"> <li>➤ Hollow glass (HSG) particles of approximately 10 micron size</li> </ul>        | 1kg   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| <ul style="list-style-type: none"> <li>➤ Polyamide particles, 100 <math>\mu</math>m</li> </ul>                          | 0.5kg   |                                   |       |  |  |   |       |  |     |  |       |  |        |               |
| <ul style="list-style-type: none"> <li>➤ Silver coated HSG particle of approximately 10 micron size</li> </ul>          | 150 gm  |                                   |       |  |  |   |       |  |     |  |       |  |        |               |

|  |   |      |
|--|---|------|
|  | <b>4.3 Fluorescent PIV experiments:</b> <ul style="list-style-type: none"> <li>• Fluorescent particles of approximately 1 micron size</li> </ul>  | 50ml |
|  | <ul style="list-style-type: none"> <li>• Fluorescent particles of approximately 10 micron size</li> </ul>   | 50ml |
|  | <ul style="list-style-type: none"> <li>• Fluorescent particles of approximately 30 micron size</li> </ul>   | 50ml |
|  | <b>Small and portable devices</b> <ul style="list-style-type: none"> <li>○ High safety standard • Non-hazardous fog fluids • Variable fog output quantity</li> <li>○ Variable fog durability</li> <li>○ Tube adapter and flexible tube</li> <li>○ Remote quantity control</li> <li>○ Remote fog control</li> <li>○ Fog injection nozzles</li> </ul> |      |

### Module III

|   |   |   |
|---|---|---|
| 1 | <b>Thermal flow visualization – gas medium</b><br>Background Oriented Schlieren software module for gas medium <ul style="list-style-type: none"> <li>➤ Recording and processing of BOS images.</li> <li>➤ Background pattern for BOS and necessary supports</li> <li>➤ Mountings for optical components.</li> </ul>  | 1 |
| 2 | <b>Liquid medium Concentration and temperature measurements</b> <ul style="list-style-type: none"> <li>➤ LIF temperature calibration software module.</li> <li>➤ LIF software module for measurement of scalar quantities.</li> <li>➤ Dye set for ratiometric measurements – set of 2 dyes (each 1g) for ratiometric temperature and concentration measurements</li> <li>➤ Fluorescent Dye – 1g Rhodamine B and 6G (5 units)</li> <li>➤ Filter set for ratiometric measurements.</li> <li>➤ Set of 2 camera filters for ratiometric temperature and concentration measurements.</li> <li>➤ Mountings for optical components</li> <li>➤ Dye calibration cell for temperature measurement.</li> </ul> | 1 |

### Module IV

|   |  |   |
|---|--|---|
|   | <b>Hot wire system and highspeed camera (high imaging applications)</b>  |   |
| 1 | <b>6 Channel Multichannel CTA Hot wire system</b> <ul style="list-style-type: none"> <li>• Temperature probe -30 to 150C</li> <li>• Miniature Wire Probe, Straight for Air Application – 5 nos</li> <li>• Fiber-Film Probe, Heavy Coating Straight for Water Application – 2 nos</li> <li>• Supports for miniature wire and fiber-film probes</li> <li>• AD converters</li> <li>• Calibration accessories for 2D and 3D</li> <li>• Necessary supporting hardware and software</li> </ul> |   |
| 2 | <ul style="list-style-type: none"> <li>• i-Speed 230 monochrome camera</li> <li>• Memory: 8GB or better</li> <li>• Control software, documentation</li> <li>• Power cables and accessories</li> <li>• Technical Specifications: Sensor type: CMOS</li> </ul>   | 1 |

|  |   |  |
|--|---|--|
|  | <ul style="list-style-type: none"> <li>• Maximum Frame rate at full resolution: 2500 FPS@ 1MP (1280×864 pixels)</li> <li>• Sensor diagonal: 21.5 mm</li> <li>• Pixel size: 13.7 μm Square</li> <li>• Bit depth: 10 bit</li> <li>• Light Sensitivity: 6400 mono</li> <li>• Shutter Speed: 1 μs</li> <li>• Max. Frame rate: 16879 FPS@128×28 pixels</li> <li>• Video: AVI</li> <li>• Image Sequence: BMP, JPG, PNG, TIF</li> <li>• Dimensions mm 65 (W) x 65 (H) x 120 (L)</li> <li>• Weight 1.1 lbs (500 g) without lens</li> <li>• Lens options C mount / FG mount</li> <li>• Temperature °C: 5 to 50 operation</li> <li>• Ethernet 1 Gb</li> <li>• Remote control via supplied software</li> <li>• F mount and C mount</li> <li>• Appropriate lenses</li> <li>• Appropriate LED illumination</li> <li>• Tripod for camera</li> </ul> |  |
|--|---|--|

**Note:** If any additional items for Modules I, II, III and IV can be listed as optional items and can be included in the quotation. The bidders are requested to quote any such additional optional items clearly indicating the module number for which these optional items belong to.

**Installation and Training:**

1. The agent will be responsible for complete installation and integration of various components of the system and to demonstrate the technical performance of the system as quoted in the technical bid. If components/accessories are missing, it is the responsible of the suppliers to provide them without additional costs.
2. The agent should provide a detailed training to the potential users at NITK Surathkal explaining all the details of the system components and their usage. A technically qualified representative should be present for the installation and training. The details of such person with educational background and prior experience in installation and usage of such system must be enclosed in the technical bid.
3. During the entire duration of the warranty period, the vendor should provide training to any additional staff/students as requested by the user at no additional cost.
4. No separate charges will be paid for the installation and training. The representative of the agent responsible for training and installation should make their own arrangements for travel to and stay in NITK.
5. All on-site training and user manuals should be in English. Additionally, the language of GUI of their software should be in English.

**Evaluation of the proposal:**

1. Vendors who meet the complete requirement as given in the technical specification will be considered.
2. Partial bids for any one of the modules will be rejected.

3. It is preferable that all components contain pricing for each individual sub-component wherever possible.
4. Warranty period: All components should have standard three years warranty along with AMC for the two years after completion of stipulated warranty period.
5. It is the responsible of the supplier to make sure of availability of after sales service and support in India. Supplier should indicate details of facilities, expertise, qualification, job experience of the support staff in India.
6. The supplier needs to demonstrate through technical literature that various listed equipment will meet the specifications provided in this document.
7. The vendor is required to state the compliance of every sub-component specified in the technical specifications. If unable to meet, explicitly mention “NO” against the component.
8. The evaluation committee has right to seek clarification or disqualify the bid if found any mismatch of compliance statement between actual specification and vendor provided specification.
9. A complete catalogue containing the information mentioned in Modules I, II, III and IV must be provided. Equipment like laser, cameras, lenses, workstation, light sources should contain clear information on Make and Model. Bids without make/model will be treated as incomplete.
10. The bidder should be willing to visit NITK for a presentation during the evaluation of bid. The bidder may be called for a technical presentation by the committee during the course of technical evaluation.
11. The bidder needs to demonstrate that they have supplied similar setup to reputed technical institutions in India like IITs, IISc, research labs, CSIR, DRDO etc.
12. In case of financial bids with different currencies like ‘US dollars’, ‘Euro’, etc. all bids will be evaluated based on the exchange rate on the date of opening of the Financial bid and converted to Indian Rupees.
13. The vendor is expected to provide an unambiguous financial bid clearly making a distinction between regular items quoted as part of the bid and optional items.
14. Depending on the availability of funds, the institute reserves the right to buy a few of the modules or sub-components of the modules.
15. A suitable UPS with Inbuilt Isolation Transformer should be supplied.

### **Additional Mandatory Requirements:**

1. **General warranty is for 3 years from the date of successful installation, which is the minimum.**
2. **AMC for two years after warranty period needs to be quoted. L1 will be calculated considering AMC period. Payment for AMC will be done at the respective time.**
3. **Any breakdown/service issue is to be sorted out within 72 hours. In case of delay beyond 72 hours, the warranty period will be proportionally extended.**
4. **Companies have to ensure equipment lands at NITK.**

**Annexure-'I'**

**Checklist for BIDDERS**

BIDDERS to indicate whether the following are enclosed/mentioned by striking out the non- relevant option and the relevant technical bid documents should be in order.

| Sl. No. | Documents            | Content  | Document Attached    |
|---------|----------------------|--|----------------------|
| 1       | <b>Technical Bid</b> | Self-Attested copy of GST & PAN Number   | (Yes /No)<br>Pg. No. |
| 2       |                      | Licence certificate for manufacture /supply of the item &Factory license. Registration with EPF and ESI                              | (Yes /No)<br>Pg. No. |
| 3       |                      | Undertaking that the successful BIDDER agrees to give a 10% Performance Security.  | (Yes /No)<br>Pg. No. |
| 4       |                      | Catalogue of the Product with detailed product specifications.   | (Yes /No)<br>Pg. No. |
| 5       |                      | Copy of the Balance Sheet  | (Yes /No)<br>Pg. No. |
| 6       |                      | List of Owner/partners of the firm and their contact numbers (Bidder Information)  | (Yes /No)<br>Pg. No. |
| 7       |                      | The contract form is given in section 5  | (Yes /No)<br>Pg. No. |
| 8       |                      | Format of compliance statement of specification as per <b>Annexure-'A'</b>   | (Yes /No)<br>Pg. No. |
| 9       |                      | Previous Supply Order as per <b>Annexure-'B'</b>   | (Yes /No)<br>Pg. No. |
| 10      |                      | Declaration of abandoned or suspended any awarded service & Blacklist Certificate. <b>Annexure 'C'</b>                               | (Yes /No)<br>Pg. No. |
| 11      |                      | Integrity Pact. <b>Annexure 'D'</b>  | (Yes /No)<br>Pg. No. |
| 12      |                      | Bank details of the bidder. <b>Annexure 'E'</b>  | (Yes /No)<br>Pg. No. |
| 13      |                      | EARNEST MONEY DEPOSIT <b>Annexure -G</b><br><b>In case of exemption from submission of EMD, proof of registration with NSIC/MSME</b> | (Yes /No)<br>Pg. No. |
| 1       | <b>Financial-Bid</b> | Price bid  | ( Yes /No )          |

Seal and Signature of the bidder